

**GOVERNMENT OF TELANGANA**  
**ABSTRACT**

Irrigation & CAD Department – AIBP - Social Audit of J. Chokka Rao Devadula Lift Irrigation Scheme - Preparation of Concurrent Evaluation Report, Inspection of works and preparation of soft and hard copies in complete shape – Payment of consultancy charges - Permission - Accorded- Orders – Issued.

=====

**IRRIGATION AND CAD (Projects-II) DEPARTMENT**

**G.O.RT.No. 737**

**Dated: 30/09/2015**

**Read**

From the Chief Engineer, I&CADD., Godavari Lift Irrigation Scheme, K.C.Colony, Chinthagattu, Hanamakonda, Warangal, Lr.No.CE/GLIS/WGL/DCE/OT2/TS5/F.12.Vol.16/1744, Dt.29.07.2015.

&&&

**ORDER:-**

In the circumstances reported by the Chief Engineer, Godavari Lift Irrigation Scheme, Warangal in the reference read above, after careful examination of the proposal, Government hereby accord permission for arranging payment of the bill for an amount of Rs.1,71,000/- to Sri V. Rajeshwar, Chief Engineer (Retd.) I&CAD Department from the relevant estimate provision and within the available budget.

2. The expenditure shall be debited to the following Head of Account

Major Head	-	4700 Capital Outlay on Major Irrigation
01	-	Major Irrigation (Commercial)
MH-166	-	J. Chokka Rao Devadula Lift Irrigation Scheme
GH-11	-	Normal State Plan
GH-21	-	AIBP
SH-27	-	Canals & Distributaries
530	-	Major Works
531	-	Other Expenditure

3. This order issues with the concurrence of Finance (WP) Department vide their U.O.No.10416/180/W&P/A1/2015, Dt.01-09-2015.

4. The Chief Engineer, Godavari Lift Irrigation Scheme, Warangal shall take necessary action, accordingly.

**SHAILENDRA KUMAR JOSHI**  
**PRINCIPAL SECRETARY TO GOVERNMENT**

To  
The Chief Engineer, Godavari Lift Irrigation Scheme, Warangal  
The Accountant General, Hyderabad.  
The Assistant Pay & Account Officer, Warangal.  
The Director of works and Accounts, Hyderabad.

**Copy to:**

The P.S. to Principal Secretary, I&CAD Department.  
The Finance (WP) Department.

**// FORWARDED : : BY ORDER //**

**SECTION OFFICER**